inv

Application No.	Applicant(s)
09/722,485	NARUSHIMA, MASAKI
Examiner	Art Unit
Rudy Zervigon	1763
(OR REMAINS) CLOSED i or other appropriate comm GHTS. This application is and MPEP 1308.	ith the correspondence address n this application. If not included unication will be mailed in due course. THIS subject to withdrawal from issue at the initiative
<u>6-42,44,56,58-60,62,63,67</u>	<u>,75 and 76</u> .
the Examiner.	
been received. been received in Application cuments have been received of this communication to fil ENT of this application.	on No In this national stage application from the e a reply complying with the requirements
tted. Note the attached EX s reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE OF declaration is deficient.
on's Patent Drawing Revie Amendment / Comment of 84(c)) should be written on the header according to 37 C sit of BIOLOGICAL MAT	the drawings in the front (not the back) of FR 1.121(d). ERIAL must be submitted. Note the
6. ⊠ Interview S Paper No 8), 7. □ Examiner's 8. ⊠ Examiner's	nformal Patent Application (PTO-152) Summary (PTO-413), /Mail Date <u>5/5/2005</u> s Amendment/Comment s Statement of Reasons for Allowance
	Examiner Rudy Zervigon ars on the cover sheet will (OR REMAINS) CLOSED is for other appropriate comming GHTS. This application is and MPEP 1308. If of May 5, 2005. 6-42,44,56,58-60,62,63,67 and the Examiner. If the Examiner. If this communication to fill the Examiner of this communication. If the Communication to fill the Examiner of this application. If the Submitted on's Patent Drawing Reviews and the submitted. If the Submitted on's Patent Drawing Reviews and the submitted of the header according to 37 Closit of BIOLOGICAL MATFOR THE DEPOSIT O

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on April 20, 2005 has been entered.

Allowable Subject Matter

- 2. Claims 1, 4-6, 9-12, 17-22, 26, 27, 30-32, 36-42, 44, 56, 58-60, 62, 63, 67, 75, and 76 allowed.
- 3. The following is a statement of reasons for the indication of allowable subject matter: The Examiner's interview on May 5, 2005 with Phillip Hoffman addressed both the teachings of the prior art, in particular with the references to Logan et al (USPat. 5,155,652) and Gilchrist, Robin et al (US 5,846,375 A) in view of Manabu Edamura (JP407337630A) as cited in the Final Rejection of October 20, 2004, and the Examiner's motivation for combining these references. As per the content of the interview summary, attached, the Examiner agreed to reconsider the Examiner's proposed combination. The Examiner has reviewed and reconsidered the pending rejections and believes Applicant has already issued claim amendments that, considered alone, patentably distinguish the instant invention from the closest prior art cited above. The claim analysis in view of the closest prior art to Logan et al (USPat. 5,155,652), Gilchrist, Robin et al (US 5,846,375 A), and Manabu Edamura (JP407337630A) are discussed in the Final Rejection of October 20, 2004. All of the independent claims 1, 18, 19, and 56 require "a plurality of first

Application/Control Number: 09/722,485

Page 3

Art Unit: 1763

passages disposed concentrically in the heater base and a plurality of second passages connecting the plurality of first passages without being aligned in a direction towards a center of concentricity of the plurality of first passages..." Among the claim elements not taught by Logan et al, as discussed in the Final Rejection, none of the prior art teach or suggest the above cited portion of all the pending independent claims. For at least this reason, the Examiner believes Applicant has claimed an apparatus that is patentable over all the cited and applied references.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Rudy Zervigon whose telephone number is (571) 272.1442. The examiner can normally be reached on a Monday through Thursday schedule from 8am through 7pm. The official fax phone number for the 1763 art unit is (703) 872-9306. Any Inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Chemical and Materials Engineering art unit receptionist at (571) 272-1700. If the examiner can not be reached please contact the examiner's supervisor, Parviz Hassanzadeh, at (571) 272-1435.